

INFRARED LAMP

IRXB01

INFRARED LAMP

The use of infrared lamp is essential for the composite repair with irregular shapes. Indeed, these lamps can polymerize the composite without any contact.

Our Infrared lamps are very easy to use. Thanks to its clamp and articulated arm, the lamp can be positioned very precisely, in many positions without cluttering the space on the ground.

These infrared lamps can operate precise cure with our Hot Bonders



OPTIONS

- ✓ Mounting system with suction cups
- ✓ Voltage 110 V
- ✓ Power : 500 W

IDEAL FOR

- ✓ Liquid shim
- ✓ Spot repair

ADVANTAGES

- ✓ The lamp can be fixed to any support thanks to its clamp
- ✓ High flexibility
- ✓ Very space-efficient

MAIN FEATURES

- ✓ Temperature: Up to 200°C
- ✓ Weight: 2 kg
- ✓ Fonction in all position
- ✓ Lamp support

ACCESSORIES

- ✓ Articulated arm of 53 cm
- ✓ Transport case with custom foam



INFRARED LAMP

IRXB01



IR1B01



IR4B01

MAIN FEATURES

	IR1B01	IR4B01
Weight	2 kg	12 Kg
Size (*)	143 x 140 x 69 mm	698 x 2790 x 830 mm
Max power (*)	1000W	3000W
Emitters	1	2
Nominal Zone	75 x 75 mm	600 x 150 mm
Max temperature	200°C	200°C
Heat	+/- 5°C à 100°C	+/- 5°C à 100°C
Min distance lamp/item	200 mm	200 mm
Accessories supplied	Articulated arm + clamp + storage case	On tripod

(*) Other size or other power available on demand.



INFRARED LAMP

IRXB01

MAIN FEATURES OF THE IR1B01 LAMPE

IR1B01	
Main power	220V/240V 50Hz /60Hz single phase
Heating Element	IR quartz emitters
Using mode	Connected to one of our hot bonders

DIMENSIONS LAMP HEAD IR1B01



INFRARED LAMP

IRXB01

SPARE PARTS IR1B01

Designation	References
Articulated arm with clamp	A2BA01
Suction cup option	A11IRSUCUP



STORAGE CASE INCLUDED WITH THE LAMP IR1B01

